

	Type	Hits	Search Text	DBs
1	BRS	6105	ellis.xp.	USPAT
2	BRS	0	ellis.xp. and (rich.xp. or richard.xp)	USPAT
3	BRS	368	ellis.xp. and (rich.xp. or richard.xp.)	USPAT
4	BRS	16	(ellis.xp. and (rich.xp. or richard.xp.)) and FPGA	USPAT
5	BRS	1	6021490.pn.	USPAT
6	BRS	1	6021490.pn.	USPAT
7	BRS	4	6021490.URPN.	USPAT
8	BRS	0	ellis.xp. and (rich.xp or richard.xp)	USPAT
9	BRS	79	(FPGA or PGA or PLD or (reconfig adj (logic or core or processor or cell))) same ((determin\$3 or decid\$3 or check\$3) with (reconfigur\$3 or status))	USPAT
10	BRS	23	(FPGA or PGA or PLD or (reconfig adj (logic or core or processor or cell))) same ((minimiz\$3 or reduc\$3 or limit\$3) near2 (reconfigur\$6))	USPAT
11	BRS	1	4761755.pn.	USPAT
12	BRS	1	5128559.pn.	USPAT
13	BRS	0	5142469.pn	USPAT
14	BRS	1	5142469.pn.	USPAT
15	BRS	1	5943242.pn.	USPAT
16	BRS	1	4489857.pn.	USPAT
17	BRS	1	4591979.pn.	USPAT
18	BRS	1	5043978.pn.	USPAT
19	BRS	22	"6127908"	USPAT
20	BRS	1	6127908.pn.	USPAT
21	BRS	1	5583450.pn.	USPAT
22	BRS	1	6021490.pn.	USPAT
23	BRS	1	5535406.pn.	USPAT

	Type	Hits	Search Text	DBs
24	BRS	1	5570040.pn.	USPAT
25	BRS	1	5497498.pn.	USPAT
26	BRS	1	5485104.pn.	USPAT
27	BRS	1	5410723.pn.	USPAT
28	BRS	186	712/229.ccls.	USPAT
29	BRS	212	712/226.ccls.	USPAT
30	BRS	25	717/172.ccls.	USPAT
31	BRS	97	717/173.ccls.	USPAT
32	BRS	65	717/171.ccls.	USPAT
33	BRS	252	(load or store) with ((control or configuration) near2 program) with controller	USPAT
34	BRS	20	((load or store) with ((control or configuration) near2 program) with controller) and FIFO	USPAT
35	BRS	160	(FPGA or PGA or PLD or (reconfig adj (logic or core or processor or cell))) with FIFO	USPAT
36	BRS	106	(bypassing or by-passing or (by adj passing)) near2 (FIFO or queue or (input adj buffer))	USPAT
37	BRS	0	((bypassing or by-passing or (by adj passing)) near2 (FIFO or queue or (input adj buffer))) with (FPGA or PGA or PLD or (reconfig adj (logic or core or processor or cell)))	USPAT
38	BRS	0	((bypassing or by-passing or (by adj passing)) near2 (FIFO or queue or (input adj buffer))) same (FPGA or PGA or PLD or (reconfig adj (logic or core or processor or cell)))	USPAT
39	BRS	0	((bypassing or by-passing or (by adj passing)) near2 (FIFO or queue or (input adj buffer))) and (FPGA or PGA or PLD or (reconfig adj (logic or core or processor or cell)))	USPAT
40	BRS	380	(bypass\$3 or by-pass\$3 or (by adj pass\$3)) near2 (FIFO or queue or (input adj buffer))	USPAT

	Type	Hits	Search Text	DBs
41	BRS	29	(bypassing or by-passing or (by adj passing)) near2 (FIFO or queue or (input adj buffer))	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
42	BRS	39	(bypass\$3 or by-pass\$3 or (by adj pass\$3)) near2 (FIFO or queue or (input adj buffer)) and (FPGA or PGA or PLD or (reconfig adj (logic or core or processor or cell)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
43	BRS	0	reconfigur\$3 near2 based near2 (source or instruciton or event)	USPAT
44	BRS	919	(FPGA or PGA or PLD or (reconfig adj (logic or core or processor or cell))) with interface	USPAT
45	BRS	6	(reconfigur\$3 or configur\$3) near2 based near2 (source or instruciton or event)	USPAT
46	BRS	36	(reconfigur\$3 or configur\$3) near2 (based or basis or function) near2 (source or instruciton or event)	USPAT
47	BRS	1	5889982.pn.	USPAT
48	BRS	1	6021490.pn.	USPAT
49	BRS	4	6021490.URPN.	USPAT
50	BRS	1	"5128559".PN.	USPAT
51	BRS	1	rrann	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
52	BRS	2	5684980.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
53	BRS	2	5802290.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
54	BRS	115276 32	US 2002/0,188,832	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
55	BRS	20	188,832	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
56	BRS	2	"188832"	US-PGPUB
57	BRS	0	188832.pn.	US-PGPUB
58	BRS	0	0188832.pn.	US-PGPUB
59	BRS	281863	"2002"	US-PGPUB
60	BRS	0	2002.pd	US-PGPUB

	Type	Hits	S arch Text	DBs
61	BRS	0	2002.pd.	US-PGPUB
62	BRS	0	0188832.pn.	US-PGPUB
63	BRS	1	20020188832.pn.	US-PGPUB
64	BRS	0	6182206.pn	USPAT
65	BRS	1	6182206.pn.	USPAT
66	BRS	5	meonske	USPAT
67	BRS	1	5802290.pn.	USPAT
68	BRS	1	4682284.pn.	USPAT
69	BRS	1	5889982.pn.	USPAT
70	BRS	441	712/34-36.ccls.	USPAT

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

- ☐ By Author
- ☐ Basic
- ☐ Advanced

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library
- Print Format

Your search matched **919** of **950522** documents.

A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance** in **descending** order.

You may refine your search by editing the current search expression or entering a new one in the text box.

Then click **Search Again**.

dynamic and reconfiguration

**Search Again**

#### Results:

Journal or Magazine = **JNL** Conference = **CNF** Standard = **STD**

#### 1 Transparent dynamic reconfiguration for CORBA

*Almeida, J.P.A.; Wegdam, M.; van Sinderen, M.; Nieuwenhuis, L.;*

Distributed Objects and Applications, 2001. DOA '01. Proceedings. 3rd International Symposium on , 17-20 Sept. 2001

Page(s): 197 -207

[\[Abstract\]](#) [\[PDF Full-Text \(1264 KB\)\]](#) **IEEE CNF**

#### 2 Reconfigurable shape-adaptive template matching architectures

*Gause, J.; Cheung, P.Y.K.; Luk, W.;*

Field-Programmable Custom Computing Machines, 2002. Proceedings. 10th Annual IEEE Symposium on , 22-24 April 2002

Page(s): 98 -107

[\[Abstract\]](#) [\[PDF Full-Text \(624 KB\)\]](#) **IEEE CNF**

#### 3 Extending RMI to support dynamic reconfiguration of distributed systems

*Xuejun Chen;*

Distributed Computing Systems, 2002. Proceedings. 22nd International Conference on , 2-5 July 2002

Page(s): 401 -408

[\[Abstract\]](#) [\[PDF Full-Text \(249 KB\)\]](#) **IEEE CNF**

#### 4 A dynamic reconfiguration manager for graph-oriented distributed programs

*Jiannong Cao; Chan, E.; Lee, C.H.; Yu, K.W.;*  
Parallel and Distributed Systems, 1997. Proceedings., 1997  
International Conference on , 10-13 Dec. 1997  
Page(s): 216 -221

[\[Abstract\]](#) [\[PDF Full-Text \(628 KB\)\]](#) **IEEE CNF**

---

**5 Fault detection and location of dynamic reconfigurable FPGAs**

*Chi-Feng Wu; Cheng-Wen Wu;*  
VLSI Technology, Systems, and Applications, 1999. International  
Symposium on , 8-10 June 1999  
Page(s): 215 -218

[\[Abstract\]](#) [\[PDF Full-Text \(284 KB\)\]](#) **IEEE CNF**

---

**6 Dynamic reconfiguration of control and estimation algorithms for induction motor drives**

*Monmasson, E.; Robyns, B.; Mendes, E.; De Fornel, B.;*  
Industrial Electronics, 2002. ISIE 2002. Proceedings of the 2002 IEEE  
International Symposium on , Volume: 3 , 26-29 May 2002  
Page(s): 828 -833 vol.3

[\[Abstract\]](#) [\[PDF Full-Text \(573 KB\)\]](#) **IEEE CNF**

---

**7 Dependence management for dynamic reconfiguration of component-based distributed systems**

*Xuejun Chen;*  
Automated Software Engineering, 2002. Proceedings. ASE 2002. 17th  
IEEE International Conference on , 23-27 Sept. 2002  
Page(s): 279 -284

[\[Abstract\]](#) [\[PDF Full-Text \(291 KB\)\]](#) **IEEE CNF**

---

**8 Dynamic coordination of a self-reconfigurable manipulator system**

*Kim, S.; Lee, S.;*  
Decision and Control, 1991., Proceedings of the 30th IEEE Conference  
on , 11-13 Dec. 1991  
Page(s): 2404 -2409 vol.3

[\[Abstract\]](#) [\[PDF Full-Text \(448 KB\)\]](#) **IEEE CNF**

---

**9 Reconfigurable flight control systems**

*McLean, D.; Aslam-Mir, S.;*

on , 20-24 May 1991

Page(s): 73 -80

[\[Abstract\]](#) [\[PDF Full-Text \(704 KB\)\]](#) **IEEE CNF**

---

**15 Reconfigurable hardware for molecular biology computing systems**

*Lemoine, E.;*

Application-Specific Array Processors, 1993. Proceedings.,

International Conference on , 25-27 Oct. 1993

Page(s): 184 -187

[\[Abstract\]](#) [\[PDF Full-Text \(216 KB\)\]](#) **IEEE CNF**

---

[1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [12](#) [13](#) [14](#) [15](#) [16](#) [17](#) [18](#) [19](#) [20](#) [21](#) [22](#) [23](#) [24](#) [25](#) [26](#) [27](#)  
[28](#) [29](#) [30](#) [31](#) [32](#) [33](#) [34](#) [\[Next\]](#)

[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#)  
[Join IEEE](#) | [Web Account](#) | [New this week](#) | [OPAC Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#)  
[No Robots Please](#) | [Release Notes](#) | [IEEE Online Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)

Copyright © 2003 IEEE — All rights reserved

Control 1991. Control '91., International Conference on , 25-28 Mar 1991  
Page(s): 234 -242 vol.1

[\[Abstract\]](#) [\[PDF Full-Text \(360 KB\)\]](#) **IEEE CNF**

---

**10 Expressing dynamic reconfiguration by partial evaluation**  
*Singh, S.; Hogg, J.; McAuley, D.;*  
FPGAs for Custom Computing Machines, 1996. Proceedings. IEEE Symposium on , 17-19 April 1996  
Page(s): 188 -194

[\[Abstract\]](#) [\[PDF Full-Text \(608 KB\)\]](#) **IEEE CNF**

---

**11 Reconfigurable broadband fibre-wireless network employing dynamic wavelength allocation**  
*Koonen, A.M.J.; Heemstra de Groot, S.M.; Sttenbergen, C.A.M.; Niemegeers, I.G.M.M.;*  
Optical Communication, 1998. 24th European Conference on , Volume: 1 , 20-24 Sept. 1998  
Page(s): 577 -578 vol.1

[\[Abstract\]](#) [\[PDF Full-Text \(208 KB\)\]](#) **IEEE CNF**

---

**12 Dynamic reconfiguration of Corba-based applications**  
*Pellegrini, N.-C.;*  
Technology of Object-Oriented Languages and Systems, 1999. Proceedings of , 7-10 June 1999  
Page(s): 329 -340

[\[Abstract\]](#) [\[PDF Full-Text \(160 KB\)\]](#) **IEEE CNF**

---

**13 Dynamic reconfiguration of multicomputer networks: limitations and tradeoffs**  
*Garcia, J.M.; Duato, J.;*  
Parallel and Distributed Processing, 1993. Proceedings. Euromicro Workshop on , 27-29 Jan. 1993  
Page(s): 317 -323

[\[Abstract\]](#) [\[PDF Full-Text \(540 KB\)\]](#) **IEEE CNF**

---

**14 Dynamic reconfiguration in an object-based programming language with distributed shared data**  
*Hailpern, B.; Kaiser, G.E.;*  
Distributed Computing Systems, 1991., 11th International Conference